



California Regional Water Quality Control Board

San Diego Region

Winston H. Hickox
Secretary for
Environmental
Protection

Internet Address: <http://www.swrcb.ca.gov/~rwqcb9/>
9174 Sky Park Court, Suite 100, San Diego, California 92123
Phone (858) 467-2952 • FAX (858) 571-6972



Gray Davis
Governor

CERTIFIED MAIL – Return Reply Requested
7002 2410 0004 0597 5389

January 6, 2003

Mr. Allan Carstensen
Facilities Manager
San Diego Wild Animal Park
15500 San Pasqual Valley Road
Escondido, CA 92027-8702

Dear Mr. Carstensen:

**TENTATIVE ADDENDUM NO. 1 TO ORDER NO. 99-04, WASTE DISCHARGE
REQUIREMENTS FOR THE ZOOLOGICAL SOCIETY OF SAN DIEGO, SAN DIEGO WILD
ANIMAL PARK, SAN DIEGO COUNTY**

Enclosed is a copy of Tentative Addendum No. 1 to Order No. 99-04 which staff intends to present to the Regional Board for adoption at their regularly scheduled meeting on February 5, 2003.

If adopted, Tentative Addendum No. 1 to Order No. 99-04 would amend waste discharge requirements to allow for the production, discharge, and restricted use of disinfected secondary-23 reclaimed water from the San Diego Wild Animal Park wastewater treatment plant for purposes including irrigation. The Addendum would also allow an increase in effluent flow rate from 0.044 million gallons per day (MGD) to 0.150 MGD in accordance with the terms and conditions of Order No. 99-04.

The February 5, 2003 meeting will begin promptly at 9:00 am and will be held at the following location:

Water Quality Control Board
Regional Board Meeting Room
9174 Sky Park Court
San Diego, CA

Please review and comment on the tentative Addendum at your earliest convenience. It is recommended that written comments be submitted by January 24, 2003 to enable staff to amend the tentative Addendum, if necessary, and allow changes to the tentative Addendum to be fully reviewed by the Regional Board and interested parties. The final deadline for submittal of written comments, however, is 5:00 pm on Wednesday, January 29, 2003. Per Regional Board direction, written material submitted to the Regional Board office after the submittal deadline

California Environmental Protection Agency

date will not be provided to the Regional Board. Also, it is not likely that written material will be accepted by the Regional Board on the day of the meeting.

If you have any questions regarding the above, please contact Mr. Bryan Ott at (858) 637-5589, or via email at otbry@rb9.swrcb.ca.gov.

Respectfully,

MICHAEL P. McCANN
Supervising Engineer
San Diego Regional Water Quality Control Board

Enclosure: Tentative Addendum No. 1 to Order No. 99-04

cc: John Richards
Staff Counsel
Office of Chief Counsel (OCC)
State Water Resources Control Board
P.O. Box 100
901 P St., Sacramento, CA 95812-0100

Brian Bernados
State Department of Health Services
1350 Front Street, Rm 2050
San Diego, CA 92101

Richard Wong
Water Resource Control Engineer
State Water Resources Control Board
P.O. Box 944212
Sacramento, CA 94244-2120

Richard Carlson
County Department of Environmental Health
5201 Ruffin Road, Suite C
San Diego, CA 92123

Mary Martis
Water-3 Engineering
325 West Third Avenue
Escondido, CA 92025